



Undereye PRF Treatment Instructions

Pre-Treatment:

- Please hydrate, increasing your water intake the day of your treatment is important for the blood draw.
- Ensure you have has a small meal or snack prior to your treatment.
- Avoid any blood thinning agents 7-days prior (ibuprofen, aspirin, multi-vitamin, fish oil, naproxen, etc.)
- Avoid smoking and alcohol 72 hours prior to treatment.
- If you need to cancel/reschedule your appointment, please provide a 48 hour notice to avoid any fees.

Post-Treatment

- Pinpoint bleeding, tenderness, bruising can occur at the injection sites and blood draw. These symptoms typically resolve within a week of treatment.
- Bruising can take up to 10-days to resolve and varies patient to patient.
- Avoid aspirin, ibuprofen, naproxen, Motrin, and any anti-inflammatory medications 72 hours after your treatment. Tylenol can be used if you have any discomfort.
- Change your pillowcase prior to going to bed the day of treatment to limit bacterial exposure.
- Blood thinning agents, smoking, and alcohol should be avoided for 72 hours after treatment.
- Do not apply any make up/sunscreen for at least 12 hours to the areas treated.
- Avoid swimming, excessive sun exposure, hot tubs, saunas, and steam rooms for 48 hours.

If you have any questions or concerns pre/post treatment, please contact our office at 503-699-6464

After Hours: 503-238-8369



Elisa A. Burgess, M.D., F.A.C.S. – Burgess Plastic Surgery & Medspa

16865 Boones Ferry Rd., Suite 101 – Lake Oswego, OR 97035

www.BurgessPlasticSurgery.com